



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/926,766	05/22/2002	Hajime Kurosawa	011600	3012
38834	7590	01/23/2006	EXAMINER	
WESTERMAN, HATTORI, DANIELS & ADRIAN, LLP			SHANKAR, VIJAY	
1250 CONNECTICUT AVENUE, NW				
SUITE 700			ART UNIT	PAPER NUMBER
WASHINGTON, DC 20036			2673	

DATE MAILED: 01/23/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	09/926,766	KUROSAWA ET AL.	
	Examiner	Art Unit	
	VIJAY SHANKAR	2673	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 20 July 2005.
- 2a) This action is FINAL. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 7-9 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 7-9 is/are rejected.
- 7) Claim(s) _____ is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) Notice of References Cited (PTO-892)
- 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
 Paper No(s)/Mail Date _____.
- 4) Interview Summary (PTO-413)
 Paper No(s)/Mail Date. _____.
- 5) Notice of Informal Patent Application (PTO-152)
- 6) Other: _____.

DETAILED ACTION

Priority

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which the subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

3. Claims 7-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over APA in view of Willner (5,790,103).

Regarding Claims 7-9, APA teaches a data input keyboard, comprising a key layout corresponding to a 101/104 English keyboard or a 106/109 Japanese keyboard adapted to include: a lowermost key array having a pair of left and right keys centrally juxtaposed in a home position for left and right thumbs of a user, one of the left and right keys being a key and the other one of the left and right keys being a SPACE key; a middle key array having an extreme right key being a BACKSPACE key; and an uppermost key array having an extreme right key being a key, the key, the SPACE key, the BACKSPACE key, and the key being a normal state of the keyboard without any key reassignment (See Figures 1-3 of the invention and Page 1, line 15-page 11, line 22 for prior art details).

However, APA does not teach a lowermost key array having a pair of left and right keys centrally juxtaposed in a home position for left and right thumbs of a user, one of the left and right keys being an ENTER/RETURN key and an uppermost key array having an extreme right key being a DELETE key, the ENTER/RETURN key, the SPACE key, the BACKSPACE key, and the DELETE key being a normal state of the keyboard without any key reassignment.

Willner teaches an ergonomic keyboard entry system and a lowermost key array having a pair of left and right keys centrally juxtaposed in a home position for left and right thumbs of a user, one of the left and right keys being an ENTER/RETURN key and an uppermost key array having an extreme right key being a DELETE key, the ENTER/RETURN key, the SPACE key, the BACKSPACE key, and the DELETE key being a normal state of the keyboard without any key reassignment.

Willner teaches the rearranging the keyboard by moving any keys to any desired location (Figures 1-5; Column 5, line 40- Col.12, line 66).

Thus, it would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate the teachings of Willner into APA for providing the rearranging keyboard. Also, since it has been held that rearranging parts of the invention involves only routine skill in the art, *In re Japikse*, 86 USPQ 70.

Response to Arguments

4. Applicant's arguments with respect to claims 7-9 have been considered but are moot in view of the new ground(s) of rejection.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to VIJAY SHANKAR whose telephone number is (571) 272-7682. The examiner can normally be reached on M-F 7:00 am - 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, BIPIN SHALWALA can be reached on (571) 272-7681. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



VIJAY SHANKAR
Primary Examiner
Art Unit 2673

VS